

Taxonomic Studies on the Puffers (*Tetraodontidae*, *Teleostei*) from Japan and Adjacent Regions—VII. Concluding Remarks, with the Introduction of Two New Genera, *Fugu* and *Boesemanichthys* (Continued from p. 44)

Tokiharu ABE

(Tokaiiku Suisan Kenkyujo, and Zool. Inst., Fac. of Sci., Tokyo Univ.)

4. List of the Japanese puffers, and list of the puffers examined in the present study

List of the puffers examined in the present study

Japanese puffers	Foreign puffers examined
1. <i>Canthigaster valentini</i> (BLEEKER) "Shima-kinchaku-fugu"	<i>C. margaritatus</i> (RÜPPELL)
2. <i>C. amboinensis</i> (BLEEKER)	<i>C. compressus</i> (DE PROCE)
3. <i>C. jactator</i> (JENKINS) "Goban-fugu"	
4. <i>C. rivulatus</i> (TEMMINCK et SCHLEGEL) "Kitamakura"	<i>Sphaeroides maculatus</i> (BLOCH et SCHNEIDER)
5. <i>Liosaccus cutaneus</i> (GÜNTHER) "Yorito-fugu"; "Kawa-fugu"; "Mizu-fugu"	
6. <i>Lagocephalus lagocephalus oceanicus</i> JORDAN et EVERMANN "Kumasaka-fugu"	
7. <i>L. lunaris</i> (BLOCH et SCHNEIDER) "Saba-fugu"	
8. <i>L. laevigatus inermis</i> (TEMMINCK et SCHLEGEL) "Kana-fugu"	
9. <i>L. sceleratus</i> (GMELIN) "Sen-nin-fugu"	
10. <i>Amblyrhynchotes hypselogeneion</i> (BLEEKER) "Shippo-fugu"	<i>A. honckenii</i> (BLOCH)
	<i>A. tuberculiferus</i> OGILBY
	<i>Fugu (Takifugu) oblongus</i> (BLOCH) "Taki-fugu"
11. <i>Fugu (Torafugu) xanthopterus</i> (TEMMINCK et SCHLEGEL) "Shima-fugu"	<i>F. (Torafugu) ocellatus</i> (LINNAEUS) "Megane-fugu"
12. <i>F. (T.) rubripes rubripes</i> (TEMMINCK et SCHLEGEL) "Tora-fugu"	<i>F. (T.) ocellatus obscurus</i> (ABE) "Me-fugu"
13. <i>F. (T.) rubripes chinensis</i> (ABE) "Karasu"; "Gatora"	<i>F. (T.) basilevskianus</i> (BASELEWSKY) "Korai-fugu"
14. <i>F. (T.) niphobles</i> (JORDAN et SNYDER) "Kusa-fugu"	<i>F. (T.) pseudommus</i> (CHU)
15. <i>F. (Shosai-fugu) stictonotus</i> (TEMMINCK et SCHLEGEL) "Goma-fugu"	
16. <i>F. (S.) vermicularis vermicularis</i> (TEMMINCK et SCHLEGEL) "Shosai-fugu"	

17. *F. (S.) vermicularis radiatus* (ABE)
"Nashi-fugu"
18. *F. (S.) vermicularis porphyreus*
(TEMMINCK et SCHLEGEL)
"Namera-fugu"; "Ma-fugu"
19. *F. (S.) poëcilonotus*
(TEMMINCK et SCHLEGEL)
"Komon-fugu"
20. *F. (S.) exascurus* (JORDAN
et SNYDER)
"Mushi-fugu"
21. *F. (Higanfugu) pardalis*
(TEMMINCK et SCHLEGEL)
"Higan-fugu"
22. *F. (Liosarcus) chrysops*
(HILGENDORF)
"Akame-fugu"
23. *Boesemanichthys firmamentum*
(TEMMINCK et SCHLEGEL)
"Hoshi-fugu"
24. *Tetraodon hispidus* LINNAEUS
"Sazanami-fugu" (young);
"Yokoshima-fugu" (adult)
25. *T. nigropunctatus* BLOCH et
SCHNEIDER
"Kokuten-fugu"
26. *T. stellatus* BLOCH et SCHNEIDER
"Moyo-fugu" (young);
"Shiro-ami-fugu" (adult)
- Chelonodon patoca* (HAMILTON-
BUCHANAN)
"Okinawa-fugu"
- Tetraodon immaculatus manillensis*
DE PROCÉ
- T. reticularis* BLOCH et SCHNEIDER
- T. mappa* LESSON
- T. meleagris* LACÉPÈDE
"Mizore-fugu"
- Dichotomycter fluviatilis*
(HAMILTON-BUCHANAN)

BIBLIOGRAPHY

In the following pages the publications referred to in the previous papers of the present series and those given in the "Bibliography" of Dr. TANAKA'S "On the distribution of fishes in Japanese waters" (1931) will be mostly omitted.

A. Additional references pertaining principally to the nomenclature of the puffers from Japan and adjacent regions

- ABE, T. 1950-1951. Taxonomic studies on the puffers (*Tetraodontidae*, *Teleostei*) from Japan and adjacent regions-VI. Variation of pectoral fin. (With some additions to the previous reports of the present series.) Japan. Journ. Ichth., i, pp. 198-206 (1950), pp. 273-283 (1951).
- BOESEMAN, M. 1947. Revision of the fishes collected by BURGER and VON SIEBOLD in Japan, viii+242 pp., 5 pls. Leiden.
- CLARKE, F. E. 1896. On two new globe-fish. Trans. Proc. New Zealand Inst., xxix (12th of new ser.), pp. 243-250, pls. 14 and 15.
- FRASER-BRUNNER, A. 1943. *vide* ABE, 1950, p. 198.
- McCULLOCH, A. R. 1929-1930. A check-list of the fishes recorded from Australia. The Australian

Museum, Sydney, Mem., v, x+534 pp.

B. Additional references pertaining principally to the variation of meristic features

- ABE, T. 1950-1951. *vide ante*.
- BREDER, C. M., Jr. 1933. The development of the urostyle in *Umbra pygmaea* (DE KAY). Amer. Mus. Novitates, no. 610, 5 pp.
- CLOTHIER, C. R. 1950. A key to some Southern California fishes based on vertebral characters. Fish Bull. no. 79, Bur. Marine Fisher., Div. Fish and Game, Dept. Nat. Res., State of Calif., 83 pp.
- GWYN, J. L. 1942. Variation of vertebral centra in young Pacific herring (*Clupea pallasii*). Journ. Fisher. Res. Board of Canada, v, pp. 347-360.
- 1942a. Vertebral number of young herring in southern British Columbia. Journ. Fisher. Res. Board of Canada, v, pp. 474-484.
- McHUGH, J. L. 1951. Meristic variations and populations of northern anchovy (*Engraulis mordax mordax*) Bull. Scripps Inst. Oceanogr., vi, no. 3, pp. 123-160.
- SATO, R. and KATO, Y. 1951. Influence of natural environmental conditions on the vertebral number of the pond smelt, *Hypomesus olidus* (PALLAS). Tohoku Journ. Agr. Res., ii, no. 1, pp. 127-133.
- TESTER, A. L. 1937. Populations of herring (*Clupea pallasii*) in the coastal waters of British Columbia. Journ. Biol. Board of Canada, iii, pp. 108-144.

C. References pertaining principally to the bones of the head region and pectoral girdle

- ABE, T. 1939. *vide ABE*, 1949b, p. 131.
- 1949b. *vide ABE*, 1950-1951, p. 282.
- ALLIS, E. P. Jr. 1935. On a general pattern of arrangement of the cranial roofing bones in fishes. Journ. Anat., lxxix, pp. 233-291.
- AWATI, P. R. and BAL, D. W. 1933 (1932). Studies in Indian puffers or globe fishes. I. The endoskeleton of *Tetrodon oblongus* BLOCH. Journ. Bombay Univ., i, no. 5, pp. 74-95, 11 figs.
- BERG, L. S. 1940. Classification of fishes both recent and fossil. Trav. Inst. Zool., Acad. Sci. U. R. S. S., v, pp. 87-517.
- BOULENGER, G. A. 1904. Fishes (systematic account of *Teleostei*). In Cambridge Natural History (ed. by HARMER, S. F. and SHIPLEY, A. E.), vii, pp. 539-727.
- BRIDGE, T. W. 1904. Fishes (exclusive of the systematic account of *Teleostei*). In the work mentioned just above, pp. 139-537.
- DARESTE, C. 1850. Recherches sur la classification des poissons de l'ordre des Plectognathes. Ann. Sci. Nat., 3me sér., Zool., xiv, pp. 105-133.
- DE BEER, G. R. 1937. The development of the vertebrate skull, xxiv+552 pp., 143 pls. Oxford.
- EATON, Jr., T. H. 1935. Evolution of the upper jaw mechanism in teleost fishes. Journ. Morph., lviii, pp. 157-170, pls. 1 and 2.
- FRASER-BRUNNER, A. 1943. *vide ante*.
- GAUPP, E. 1905. Die Entwicklung des Kopfskelettes. In HERTWIG's Handbuch der vergleichenden und experimentellen Entwicklungslehre der Wirbeltiere, iii, pt. 2, pp. 573-874.
- CEGENBAUR, C. 1895. Clavicula und Cleithrum. Morph. Jahrb., xxiii, pp. 1-20.
- GHIGI, A. 1921. Sulla dentatura di alcuni plettognathi (*Ostracion* et *Tetrodon*). Nota preliminare. Rend. Acc. Sc. Bologne, xxv, pp. 138-140. Not seen in the original.
- GILL, T. 1885 (1884). *vide ABE*, 1949b, p. 133.
- 1892 (1891). *vide ABE*, 1949b, p. 134.

- GOETTE, A. 1879. Beiträge zur vergleichenden Morphologie des Skelettsystems der Wirbeltiere. II. Die Wirbelsäule und ihre Anhänge. Arch. f. mikr. Anat., xvi, pp. 117-152, pls. 7-9.
- GOODRICH, E. S. 1909. Vertebrata Craniata (First fascicle: cyclostomes and fishes). In "A treatise on zoology" edited by Sir Ray LANKESTER, pt. 9, xvi+518 pp.
- 1930. *vide* ABE, 1944, p. 233.
- GREGORY, W. K. 1933. *vide* ABE, 1949b, p. 136.
- 1949. The humerus from fish to man. Amer. Mus. Novitates, no. 1400, Jan. 31, 1949. 54 pp.
- GÜNTHER, A. C. L. G. 1880. An introduction to the study of fishes, xvi+720 pp. Edinburgh.
- HAINES, R. W. 1938. The posterior end of Meckel's cartilage and related ossifications in bony fishes. Quart. Journ. Microsc. Sci., lxxx, pp. 1-38.
- HOLLARD, H. 1857. *vide* ABE, 1942, p. 494.
- 1860. Mémoire sur le squelette des poissons plectognathes, étudié au point de vue des caractères qu'il peut fournir pour la classification. Ann. Sci. Nat. (Zool.), 1860, 4 ser. xiii, pp. 5-46. Not seen in the original.
- HUBBS, C. L. 1919. A comparative study of the bones forming the opercular series of fishes. Journ. Morph., xxxiii, no. 1, pp. 61-71.
- IHLE, J. E. W. *et al.* 1927. *vide* ABE, 1942, p. 494.
- JORDAN, D. S. 1905. A guide to the study of fishes, 2 vols., xxvi+624, xxii+599 pp.
- and EVERMANN, B. W. 1896-1900. The fishes of North and Middle America: a descriptive catalogue of the species of fish-like vertebrates found in the waters of North America, north of the Isthmus of Panama, 4 pts.
- KASCHKAROFF, D. N. 1914 (1913). Materialien zur vergleichende Morphologie der Fische. Vergleichendes Studium der Organisation von Plectognathi. Bull. Soc. Impér. Naturalistes de Moscou, nouv. sér., xxvii, 1913, pp. 263-370, pls. 1-17.
- KESTEVEN, H. L. 1942-1943. The evolution of the skull and the cephalic muscles. A comparative study of the development and adult morphology, pt. 1. The fishes. The Australian Museum, Sydney, Mem., viii, pp. (1-63)+(i-iv), (63-132).
- KINGSLEY, J. S. 1894. The origin of the vertebrate skeleton. Amer. Nat., xxviii, pp. 635-640.
- KORSCHERT, E. 1939. Über die Konstanz im Auftreten von Knochenverdickungen am Fischeskelett. Sitzb. Gesel. Bef. gesamt. Naturwiss. Marburg, lxxiii, no. 2, pp. 1-16.
- KURONUMA, K. 1943. *vide* ABE, 1949b, p. 135.
- OWEN, R. 1840-1845. Odontography; or, a treatise on the comparative anatomy of the teeth; their physiological relations of development and microscopic structure in the vertebrate animal, 2 vols., xix+lxxv+655 pp.; 37 pp., 150 pls.
- PARR, A. E. 1927. On the function and morphology of the post-clavicular apparatus in *Spheroides* and *Chilomycterus*. Zoologica, ix, no. 5, pp. 245-269.
- REGAN, C. T. 1903 (1902). *vide* ABE, 1949b, p. 136.
- RENDahl, H. 1934. Zur Osteologie und Myologie des Schultergürtels und der Brustflosse einiger Scleroparei. Ark för Zool., xxvii, no. 12, pp. 1-50.
- REYNOLDS, S. H. 1897. The vertebrate skeleton. In Cambridge Biological Series, xvi+559 pp.
- ROSÉN, N. 1916. *vide* ABE, 1942, p. 495.
- ROMER, A. S. 1949. *vide* ABE, 1950-1951, p. 200.
- STARCKS, E. C. 1901. Synonymy of the fish skeleton. Proc. Washington Acad. Sci., iii, pp. 507-539, pls. 63-65.
- 1916. The sesamoid articular (a bone in the mandible of fishes). Leland Stanford Junior Univ.

- Publ. Univ. Ser., March 31, 1916, 40 pp.
- 1926. Bones of the ethmoid region of the fish skull. Stanford Univ. Publ. Univ. Ser. Biol. Sci., iv, no. 3, 202 pp.
- 1930. The primary shoulder girdle of the dony fishes. Stanford Univ. Publ. Univ. Ser., Biol. Sci., vi, no. 2, pp. 147-239.
- STEPHAN, 1900. Recherches histologiques sur la structure du tissu osseux des poissons. Bull. Sci. France. Belgique, xxxiii, pp. 281-429, pls. 1-8.
- SUVOROV, E. K. 1948. Osnovui ichtyologii (2nd ed), 580 pp. Leningrad. In Russian.
- SWINNERTON, H. H. 1905. A contribution to the morphology and development of the pectoral skeleton of teleosts. Quart. Journ. Micr. Sci., xlix, pp. 363-382, pl. 23.
- TRETJAKOFF, D. 1924-1925. Das Knochengewebe bei den Pleuronectiden und den Plectognathen. Anat. Anz., lix, pp. 379-387.
- UCHIDA, K. 1950. On the life history of "me-fugu", *Spherooides ocellatus obscurus* ABE. Read before the Annual Meeting of the Japanese Society of Scientific Fisheries held on April 9, 1950, in Tokyo.
- WESTOLL, T. S. 1937. On the cheek bones in teleostome fishes. Journ. Anat., lxxi, pp. 362-382.
- WIEDERSHEIM, R. 1889. Über die Entwicklung des Schulter-und Becken-gürtels. Anat. Anz., iv, pp. 428-441.
- 1890. Weitere mitteilunger über die Entwicklungsgeschichte des Schulter-und Beckengürtels. Anat. Anz., v, pp. 13-26.

D. References pertaining principally to dermal spine

- FOWLER, H. W. 1928. *vide* TANAKA, 1931, p. 66.
- 1936. *vide* ABE, 1949b, p. 133.
- GÜNTHER, A. 1873-1910. *vide* TANAKA, 1931, p. 68.
- HOLLARD, H. 1857. *vide ante*.
- JORDAN, D. S. and SNYDER, J. O. 1901g. *vide* TANAKA, 1931, p. 74.
- KASCHKAROFF, D. N. 1914 (1913). *vide ante*.
- KLAATSCH, H. 1890. Zur Morphologie der Fischeschuppen und zur geschichte der Hartschubstanzgewebe. Morph. Jahrb., xvi, pp. 97-202, 208-258.
- KURONUMA, K. 1939? On the taxonomy of the Japanese puffers. Read before the meeting of the Zoological Society of Japan held in 1939?
- ROSÉN, N. 1913a. Studies on the Plectognaths. 3. The integument. Ark. för Zool., viii, no. 10, 29 pp., 5 pls.
- 1916a. Über die Homologie der Fischeschuppen. Ark. för Zool., x, no. 7, 36 pp., 1 pl.

E. References pertaining principally to lateral cutaneous fold or ridge

- BARNARD, K. H. 1925-1927. *vide* TANAKA, 1931, p. 63.
- FRASER-BRUNNER, A. 1943. *vide ante*.
- GÜNTHER, A. 1870. *vide* ABE, 1949b, p. 134.
- JORDAN, D. S. and SNYDER, J. O. 1901g. *vide ante*.

(To be concluded)